About Us



Woerner Industries, Inc. has manufactured and installed pew seating for over 85 years. We are located in Rochester, New York and have a history of working with churches in satisfying their seating needs.

While we have some of the most modern woodworking equipment available, we still employ many of the same manufacturing techniques and quality standards used by our craftsmen 50+ years ago.

We specialize in solid wood pews, with wood or padded seats and backs. We offer a complete line of pews and accessories. All of our designs can be customized to meet your needs. Pews are available in Northern red oak (standard), white oak, cherry, maple, birch, walnut, and mahogany. Upholstered seats and backs are removable for later reupholstering.

Many of our projects involve custom pews. We specialize in projects which require refurbishing and/or manufacturing new pews to match existing pews.



Pew Bodies




Pew seats, backs and ends can be manufactured in various combinations to meet your specific requirements. We offer three basic pew body designs which follow:

101 Solid wood seat and back

Seats are machined from 6/4 lumber (1.50" raw lumber thickness). Final thickness will be approximately 1-3/16". Seats have a scooped out contoured area for comfort. Boards are glued up with tongue and groove construction. Seats are reinforced underneath with a 1.5" thickness x 2.5" height lateral brace.


Backs are machined from 4/4 lumber (1" raw lumber thickness). Final thickness will be approximately .75". Boards are glued up with tongue and groove construction. The cap rail is fastened to the pew back with tongue and groove construction.



102 Padded seat and wood back

Seats are manufactured with a .75" veneer core plywood base with solid poplar rails across the front and back for support and anchoring. Foam is 4" thickness with 2.6# density and 45 – 48# compression ratio. Many fabrics are available for a covering.


Backs are machined from 4/4 lumber (1" raw lumber thickness). Final thickness will be approximately .75". Boards are glued up with tongue and groove construction. The cap rail is fastened to the pew back with tongue and groove construction.




103 Padded seat and back

Seats are manufactured with a .75" veneer core plywood base with solid poplar rails across the front and back for support and anchoring. Foam is 4" thickness with 2.6# density and 45 – 48# compression ratio. Many fabrics are available for a covering.

Backs are machined from 4/4 lumber (1" raw lumber thickness). Final thickness will be approximately .75". Boards are glued up with tongue and groove construction. The cap rail is fastened to the pew back with tongue and groove construction. The front of the pew back is covered with 1" foam and fabric which are removable for recovering at a future date.






Pew Ends


(Note: 585, 564, and 563 are also available without white finish)

Pew ends are solid red oak, 2" thickness with butcher block or two-ply construction. Full pew ends have a separate 3" high foot glued, doweled and screwed to the pew end. This provides the support for anchoring to the floor. Pew ends are anchored to the floor with concealed fasteners, one per end. Two anchors are also available upon request.


Pew supports are solid red oak, two-ply 1.5" thickness. Each panel is .75" thickness.












Outside: 20"w x 11"h Inside: 18-1/2"w x 2-1/4"d

4226 Hymn Book Rack

Outside: 20"w x 4-1/2"h



4224 Hymn Book Rack

Unfinished

4225 Hymn Book Rack Outside: 20 w x 9 h

Inside: 18-1/2"w x 2-1/4"d

258 Underseat Book Rack

Interior: 18"w x 6-5/8d, 2-1/4"h




4227 Hymn Book Rack

Outside: 20"w x 4-1/2"h

Inside: 18-1/2"w x 1-7/8"d

255 Hymn Book Rack

Self cleaning style. Interior: 18"w x 2-1/4"d




253 Hymn Book Rack

w/6 cup holders. Interior: 24"w x 2"d

257 Hymn Book Rack

Interior: 20"w x 2-1/4"d



Note: Custom sizes available at additional cost. Card holders are made of solid oak with rounded edges. Holds pencils, cards, or envelopes. All hardware included.



4107 Communion **Cup Silencer** Fits 1" diameter hole, made of plastic.




4100 Card Holder

6"w x 1"d, 5"h

Opening for card: 3-1/2"w x 5/8"d, 4"h


4113 Card & Four Cup Holder

13"w x 1-1/2"d, 4-5/8"h. Cup silencers included



4104 Communion Cup Holde

7"w x 1-3/4"d, 3/4"h. Cup silencers included



4105 Communion Cup Holder

8"w x 1-3/4"d, 3/4"h. Cup silencers included

Pew Kneelers

Most of our projects include wood frame kneelers, but we also offer metal frame kneelers if the need arises. Wood kneelers have 1" thick ends and 1-1/4" 6# density foam over a 3/4" plywood cushion board. Standard depth on kneeler pads is 5" with a height from the floor of 7-3/8".

